

L Number	Hits	Search Text	DB	Time stamp
3	150	706/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 16:23
4	0	hand-held.ti. and 706/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:40
5	0	hand-held.ti. and comput\$6.ti. and 706/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:40
6	3	graph\$4 and calculat\$4 and hand-held\$1 and comput\$6 and 706/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:40
7	0	hand-held\$1.ti. and (paus\$3 or stop\$4) and 706/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:41
8	0	graph\$4 and calculat\$4 and hand-held\$1 and comput\$6 and paus\$3 and 706/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:41
9	13	comput\$6.ti. and 706/60.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:51
10	124	708/130.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 16:23
-	3094	handheld\$1.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 12:45
-	317866	comput\$6.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:50
-	65326	graph\$4.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 20:19
-	97515	calculat\$4.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 08:53

-	934	graph\$4.ti. and calculat\$4.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 12:45
-	1	(graph\$4.ti. and calculat\$4.ti.) and handheld\$1.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:35
-	614	handheld\$1.ti. and comput\$6.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:39
-	39556	screen\$1 and key\$1 and processor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:20
-	10	graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and processor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:20
-	0	(graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and processor\$1)) and expert	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:31
-	8	(graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and processor\$1)) and program\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:31
-	3	((graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and processor\$1)) and program\$4) and mathematic\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:32
-	5	((graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and processor\$1)) and program\$4) and expression\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:32
-	4	graph\$4.ti. and calculat\$4.ti. and (key adj panel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:33
-	8	graph\$4.ti. and calculat\$4.ti. and (key same panel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:34
-	5	(graph\$4.ti. and calculat\$4.ti. and (key same panel)) and symbol\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:35

-	0	(graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and processor\$1)) and (problem\$1 same solution\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:36
-	0	(graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and processor\$1)) and (problem\$1 and solution\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:36
-	5066	(screen\$1 and key\$1 and processor\$1) and (problem\$1 same solution\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 07:36
-	7	graph\$4.ti. and calculat\$4.ti. and handheld\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:40
-	7	screen\$1 and (key\$1 same panel) and processor\$1 and handheld\$1.ti. and comput\$6.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:56
-	4	graph\$4.ti. and calculat\$4.ti. and display\$4 and (key same pad)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 08:47
-	3495	graph\$4 and calculat\$4 and handheld\$1 and comput\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:00
-	42	(graph\$4 and calculat\$4 and handheld\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:00
-	3	handheld\$1.ti. and ((graph\$4 and calculat\$4 and handheld\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:01
-	3	calculat\$4.ti. and ((graph\$4 and calculat\$4 and handheld\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:05
-	5	graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:25
-	5	graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 and symbol\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:25

-	5	graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and expression\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:26
-	7	graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:29
-	7	graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 09:29
-	16	handheld\$1.ti. and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:06
-	1	graph\$4.ti. and calculat\$4.ti. and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 12:45
-	4	handheld\$1.ti. and comput\$6.ti. and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:09
-	232	handheld\$1.ti. and (paus\$3 or stop\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:10
-	397	graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:10
-	11	(graph\$4 and calculat\$4 and handheld\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2 and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:23
-	3822	screen\$1 and key\$1 and processor\$1 and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:20
-	0	graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and processor\$1) and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 13:20
-	5	(4852057, "5732001").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:34

-	10512	hand-held.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:40
-	2	(graph\$4.ti. and calculat\$4.ti.) and hand-held.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:35
-	505	hand-held.ti. and comput\$6.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:40
-	5	graph\$4.ti. and calculat\$4.ti. and hand-held\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:41
-	5	screen\$1 and (key\$1 same panel) and processor\$1 and hand-held\$1.ti. and comput\$6.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:56
-	5548	graph\$4 and calculat\$4 and hand-held\$1 and comput\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:40
-	42	(graph\$4 and calculat\$4 and hand-held\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:00
-	1	hand-held\$1.ti. and ((graph\$4 and calculat\$4 and hand-held\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:01
-	0	handheld\$1.ti. and ((graph\$4 and calculat\$4 and hand-held\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:03
-	1	hand-held\$1.ti. and ((graph\$4 and calculat\$4 and hand-held\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:04
-	0	calculat\$4.ti. and ((graph\$4 and calculat\$4 and hand-held\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:05
-	37	hand-held\$1.ti. and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:34

-	1	hand-held\$1.ti. and comput\$6.ti. and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:09
-	989	hand-held\$1.ti. and (paus\$3 or stop\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:41
-	476	graph\$4 and calculat\$4 and hand-held\$1 and comput\$6 and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:41
-	18	(graph\$4 and calculat\$4 and hand-held\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2 and paus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:11